

PATIENT INFORMATION

Patient Name:		Prescriber:	
Street Address:		NPI:	
City, State, Zip:		Group:	
Phone #1:		Street Address:	
Phone #2:		City, State, Zip:	
Social Security:		Office Phone:	
Date of Birth:	/ /	Office FAX:	
Sex:	☐ M ☐ F	Primary Contact:	

PLEASE SEND INSURANCE CARD AND DEMOGRAPHIC INFORMATION

DIAGNOSIS (ICD-10)

☐ L20. _____ Atopic Dermatitis	☐ C44. _____ Basal Cell Carcinoma	☐ L73.2 Hidradenitis Suppurativa
☐ L74.51 _____ Hyperhidrosis	☐ L40. _____ Plaque Psoriasis	☐ L40. _____ Psoriatic Arthritis
		☐ L50. _____ Urticaria

CURRENT / PREVIOUS THERAPIES FOR THIS CONDITION

Tried/Failed Therapies: ☐ Cimzia ☐ Cosentyx ☐ Cyclosporine ☐ Enbrel ☐ Humira ☐ Ilumya ☐ Methotrexate ☐ Orencia ☐ Otezla ☐ PUVA/UVB ☐ Remicade ☐ Simponi ☐ Skyrizi ☐ Sotyktu ☐ Stelara ☐ Taltz ☐ Tremfya

BSA: _____% ☐ Hands ☐ Feet ☐ Scalp ☐ Groin ☐ Other Areas _____

PPD/Chest X-Ray for TB? ☐ Yes ☐ No Drug Allergies: _____

PRESCRIPTION INFORMATION

☐ Bimzelx	☐ 160mg Autoinjector ☐ 160mg Syringe	☐ Start: Inject 2-160mg (320mg) at Weeks 0, 4, 8, 12, and 16 Weeks ☐ Maint: Inject 2-160mg (320mg) every 8 weeks	Refill: 0 Refill:
☐ Cimzia	☐ 200x2 PFS ☐ 200x2 LYO	☐ Start: Inject 400mg at weeks 0, 2, and 4 (qty 3 kits) ☐ Maint: Inject _____mg every: ☐ 2 ☐ 4 wks (qty _____) *Pt. weight _____ lbs	Refill: 0 Refill:
☐ Cosentyx	☐ 150mg Sensoready PEN ☐ 150mg Syringe	☐ Start: Inject 2-150mg (300mg) at Weeks 0, 1, 2, 3, and 4 ☐ Maint: Inject 2-150mg (300mg) every 4 weeks *Pt. weight _____ lbs	Refill: 0 Refill:
☐ Enbrel	☐ 50mg Enbrel Mini ☐ 50mg Sureclick ☐ 50mg Syringe ☐ 0.8 mg/kg	☐ Inject 50mg SQ TWICE a week, 72-96 hours apart (qty 8) for 12 weeks ☐ Inject 50mg SQ ONCE a week (qty 4) ☐ Inject 0.8 mg/kg ONCE a week (qty 4) *Pt. weight _____ lbs	Refill:
☐ Humira Starter Kit ☐ Biosimilar: write in _____	☐ 80mg/0.8ml (qty 1) and 40/0.4ml PEN (qty 2) ☐ 80mg/0.8ml PEN (qty 3)	☐ Inject 80mg SQ on Day 1, then 40mg SQ on Day 8, then 40mg every other week ☐ Inject 160mg SQ on Day 1, then 80mg on Day 15	Refill: 0
☐ Humira Maintenance ☐ Biosimilar: write in _____	☐ 40mg/0.4ml PEN ☐ 40mg/0.4ml Syringe ☐ 80mg/0.8ml PEN	☐ Inject 40mg SQ every _____ week(s) (qty _____) ☐ Inject 80mg SQ every _____ week(s) (qty _____)	Refill:
☐ Ilumya	☐ 100mg/ml Syringe	☐ Start: Inject 100mg SQ at week 0 and week 4, then every 12 weeks (qty 2)	Refill:
☐ Odomzo	☐ 200mg Capsule	☐ Take 1 Capsule ONCE daily on an empty stomach	Refill:
☐ Otezla	☐ Starter Kit ☐ 30mg Tablet	☐ Take Starter Dosing per instructions (qty 55 // 28 days) [☐ Office provided] ☐ Take 1 tablet by mouth twice daily (qty 60 // 30 days)	Refill: 0 Refill:
☐ Sotyktu	☐ 6mg Tablet	☐ Take 1 tablet by mouth daily	Refill:
☐ Skyrizi	☐ 150mg Syringe ☐ 150mg PEN	☐ Inject 150mg Day 0, then on Day 28 ☐ Inject 150mg Every 12 Weeks	Refill:
☐ Stelara	☐ 45mg Syringe ☐ 90mg Syringe	☐ Start: Inject _____mg SQ day 0, then on day 28 ☐ Maint: Inject _____mg SQ every 12 weeks *Pt. weight _____ lbs	Refill: 0 Refill:
☐ Taltz	☐ 80mg Autoinjector ☐ 80mg Syringe	☐ Start: Inject 160mg SQ at Week 0, then 80mg at Weeks 2, 4, 6, 8, 10, 12 ☐ Maint: Inject 80mg SQ every 4 weeks *Pt. weight _____ lbs	Refill: 0 Refill:
☐ Tremfya	☐ 100mg Autoinjector ☐ 100mg Syringe	☐ Start: Inject 100mg SQ at Week 0, then on day 28 ☐ Maint: Inject 100mg SQ every 8 weeks	Refill: 0 Refill:

PRESCRIBER SIGNATURE _____ DATE ____ / ____ / ____

PRODUCT SUBSTITUTION PERMITTED

DISPENSE AS WRITTEN